



By

EVA

Excellence Design

Precision in Every Frame,
Perfection in Every Pane."



ABOUT US



We as Eva Enterprise with the brand name ED Architectural establish in 2021. After research and developing new era of architectural products, windows, doors, partitions, safety grills and many more, introducing in premium quality systems.

We are serving as aluminum extruder since 2010 as, expertise in exclusive products. Our motto is provide premium quality aluminum with total hardware solution and software support system.

Producing more than 250 MT of aluminum per month also producing 2600+ exclusive product one to one.

We are just not making system but customizing system designs as per your need.



Capacity to serve
from 1 to 1000+ Windows



Consultation &
Training Facility



After sales
Support System



15 years
of experience



Indian Design
International Standards
for Indian Affordability



Customised Engineering
Solutions

Why Chose Us?

We understand that selecting the right manufacturer for your aluminum doors and windows is a crucial decision, impacting the aesthetics, security, and energy efficiency of your space. Past experience of the design and development We are committed to delivering not just products, but solutions that exceed your expectations. now we are associated with more than 37 developers across the world, who are advising to make system more batter and functional. Here's why discerning clients consistently choose us.

BENEFITS



Sound Resistance

Inside you could easily forget its location, sound insulation and window glazing make it surprisingly peaceful.



Ventilation

Providing maximum ventilation during hot



Safety

You could feel the double levels of safety one with laminated glass and safety grills with inside heavy rods.



Insect protection

All models are fully opted with Insect protection system.



Wind Resistancy

Find the various model as per wind pressure.



Easy assembly & installation

with some necessary tools and machines you could easily assemble and install systems with your own.



Water Resistance

with the best assembling solutions all designs gives you zero water passes



Impact Resistance

a material's ability to withstand sudden, high-force impacts without breaking or experiencing significant damage

trust you can





SLIDING SERIES

EVA SLIDING SERIES

06~07

- ▶ 25 Premium Euro
- ▶ 25 Exclusive Euro
- ▶ 30 Exclusive Euro
- ▶ 32 Premium Euro
- ▶ 34 Exclusive Euro
- ▶ 35 Exclusive Euro

EVA SLIM SLIDING SERIES

08~09

- ▶ 20 Premium Euro Slim
- ▶ 27 Exclusive Euro Slim
- ▶ 30 Exclusive Euro Slim
- ▶ 30 Premium Euro Slim
- ▶ 32 Exclusive Slim

EVA HYBRID SLIM SLIDING SERIES

10~11

- ▶ 26 Exclusive Hybrid Slim
- ▶ 27 Exclusive Euro Hybrid Slim
- ▶ 30 Exclusive Euro Hybrid Slim
- ▶ 32 Exclusive Euro Hybrid



CASEMENT SERIES

12~13

EVA CASEMENT SERIES

- ▶ 30 Casement
- ▶ 32 Casement
- ▶ 32 Casement Grill
- ▶ 40 Casement
- ▶ 40 Casement Grill
- ▶ 45 Casement
- ▶ 45 Casement Grill
- ▶ 50 Casement Grill

THERMAL BREAK SERIES

31~31

- ▶ Sliding
- ▶ Casement
- ▶ Door
- ▶ Minimal



Conditions :

- ◆ Verify all the products before placing order.
- ◆ All benefits are verified as per actual installed system.
- ◆ Weight might be differ depends on die conditions.
- ◆ All right reserved with "Eva Enterprise".
- ◆ All These data are based on theory.
kindly Consult Professionals before installation.

INDEX



DOOR SERIES 14~15

- ▶ 40 door
- ▶ 50 door
- ▶ 115 door
- ▶ French door




ALU. WOOD SERIES 22~23

- ▶ Sliding
- ▶ Casement



PARTITION SERIES 16~17

- ▶ Slim Partition
- ▶ DGU Partition
- ▶ Slim Faced



LIFT & SLIDE 24~24

- ▶ 96 Lift & Slide
- ▶ 28 Slim Lift & Slide



MINIMAL SLIM 18~19

- ▶ 10mm
- ▶ 15mm
- ▶ 32mm



EXCLUSIVE SERIES 25~30

- ▶ Movable Louvers
- ▶ Mono Rail
- ▶ tilt & Turn
- ▶ Vertical
- ▶ Parallel
- ▶ Grill & Georgian bar
- ▶ Wall Cladding
- ▶ Flush Door




BI FOLD 20~21

- ▶ 29 Slim Sliding Folding
- ▶ 66 Sliding Folding

SLIDING SERIES



Eva



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Glass Size	2 Track	3 Track	4 Track	Window Height(Max)	Grill
25 Premium Euro	25 x 64	5 to 18	43 x 64	43 x 101	-	2130	43 x 99 - 2T
25 Exclusive Euro	25 x 64	5 to 18	43 x 64	43 x 101	43 x 137	2130	43 x 105 - 2T 43 x 142 - 3T
30 Exclusive Euro	30 x 65	5 to 22	43 x 71	43 x 113	-	2440	-
32 Premium Euro	32 x 66	5 to 26	51 x 73	51 x 114	-	3050	-
34 Exclusive Euro	34 x 65	5 to 26	-	41 x 95	-	3250	-
35 Exclusive Euro	35 x 75	5 to 28	45 x 78	45 x 124	-	3650	-



Locking type Single & multipoint lock with handle
Joinery 45 Degree cut With Corner Connector
Finish Powder | Wood | Anodizing


TOPOLOGY

SLIDING SERIES




Eva


2 TRACK + 2 SHUTTER




2 TRACK + 2 SHUTTER + GRILL




3 TRACK + 3 SHUTTER




3 TRACK + 3 SHUTTER + GRILL




4 TRACK + 4 SHUTTER




2 TRACK + 3 SHUTTER




2 TRACK + 4 SHUTTER




3 TRACK + 6 SHUTTER




4TRACK + 8 SHUTTER




3 TRACK + 2 SHUTTER + 1 MESH SHUTTER




4 TRACK + 3 SHUTTER + 1 MESH




3 TRACK + 2 SHUTTER + 1 MESH + GRILL




4 TRACK + 3 SHUTTER + 1 MESH




3 TRACK + 4 SHUTTER + 2 MESH SHUTTER




3 TRACK + 3 SHUTTER + 2 MESH




3 TRACK + 4 SHUTTER + 2 MESH




4TRACK + 6 SHUTTER 2 MESH




2TRACK + 4 SHUTTER CORNER




3TRACK + 6 SHUTTER CORNER




4TRACK + 8 SHUTTER CORNER



3 TRACK + 4 SHUTTER + 2 MESH - CORNER



4 TRACK + 6 SHUTTER + 2 MESH - CORNER



TOPOLOGY SELECTION COLOR CODE

25 Premium Euro Series



25 Exclusive Euro Series



30 Exclusive Euro Series



32 Premium Euro Series



34 Exclusive Euro Series



35 Exclusive Euro Series



SLIDING SERIES



Eva Slim



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Inter Lock	Glass Size	2 Track	3 Track	4 Track	Window Height(Max)	Grill
20 Premium Euro Slim	25 x 64	20	5 to 18	43 x 64	43 x 101	-	2130	43 x 99 - 2T
27 Exclusive Euro Slim	25 x 64	27	5 to 18	43 x 64	43 x 101	43 x 137	2130	43 x 105 - 2T 43 x 142 - 3T
30 Exclusive Euro Slim	30 x 65	30	5 to 22	43 x 71	43 x 113	-	2440	-
30 Premium Euro Slim	32 x 66	30	5 to 26	51 x 73	51 x 114	-	3050	-
32 Exclusive Slim	35 x 75	32	5 to 28	45 x 78	45 x 124	-	3650	-



Locking type Single & multipoint lock with handle
Joinery 90 / 45 Degree cut With Corner Connector
Finish Powder | Wood | Anodizing


TOPOLOGY

SLIDING SERIES

Eva Slim



2 TRACK + 2 SHUTTER




2 TRACK + 2 SHUTTER + GRILL



3 TRACK + 3 SHUTTER



3 TRACK + 3 SHUTTER + GRILL




4 TRACK + 4 SHUTTER




2 TRACK + 3 SHUTTER




2 TRACK + 4 SHUTTER




3 TRACK + 6 SHUTTER




4TRACK + 8 SHUTTER



3 TRACK + 2 SHUTTER + 1 MESH SHUTTER




4 TRACK + 3 SHUTTER + 1 MESH




3 TRACK + 2 SHUTTER + 1 MESH + GRILL



4 TRACK + 3 SHUTTER + 1 MESH



3 TRACK + 4 SHUTTER + 2 MESH



3 TRACK + 3 SHUTTER + 2 MESH




3 TRACK + 4 SHUTTER + 2 MESH




4TRACK + 6 SHUTTER 2 MESH




2TRACK + 4 SHUTTER CORNER




3TRACK + 6 SHUTTER CORNER




4TRACK + 8 SHUTTER CORNER



3 TRACK + 4 SHUTTER + 2 MESH - CORNER



4 TRACK + 6 SHUTTER + 2 MESH - CORNER



TOPOLOGY SELECTION COLOR CODE

20 Premium Euro Slim




27 Exclusive Euro Slim



30 Exclusive Euro Slim



30 Premium Euro Slim




32 Exclusive Euro Slim



SLIDING SERIES



Eva Hybrid Slim



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Inter Lock	Glass Size	2 Track	3 Track	4 Track	Window Height(Max)	Frame Vertical
26 Exclusive Hybrid Slim	28 x 58	25	5 to 13.5	-	35 x 80	-	2430	14 / 29
27 Exclusive Hybrid Slim	25 x 64	27	5 to 18	40 x 78	40 x 114	40 x 151	2430	15
30 Exclusive Hybrid Slim	30 x 65	30	5 to 22	40 x 87	40 x 128	-	2640	15
32 Exclusive Hybrid Slim	35 x 75	32	5 to 28	40 x 95	40 x 142	-	3650	15



- Locking type** Single & multipoint lock with handle
- Joinery** 90 / 45 Degree cut With Corner Connector
- Finish** Powder | Wood | Anodizing


TOPOLOGY

SLIDING SERIES




Eva Hybrid Slim


2 TRACK + 2 SHUTTER




3 TRACK + 3 SHUTTER




4 TRACK + 4 SHUTTER




2 TRACK + 3 SHUTTER




2 TRACK + 4 SHUTTER




3 TRACK + 6 SHUTTER




4TRACK + 8 SHUTTER




3 TRACK + 2 SHUTTER + 1 MESH




4 TRACK + 3 SHUTTER + 1 MESH




4 TRACK + 3 SHUTTER + 1 MESH




3 TRACK + 4 SHUTTER + 2 MESH




3 TRACK + 3 SHUTTER + 2 MESH




3 TRACK + 4 SHUTTER + 2 MESH




4TRACK + 6 SHUTTER 2 MESH




2TRACK + 4 SHUTTER CORNER




3TRACK + 6 SHUTTER CORNER




4TRACK + 8 SHUTTER CORNER



3 TRACK + 4 SHUTTER + 2 MESH - CORNER



4 TRACK + 6 SHUTTER + 2 MESH - CORNER



TOPOLOGY SELECTION COLOR CODE

26 Exclusive Hybrid Slim



27 Exclusive Hybrid Slim



30 Exclusive Hybrid Slim



32 Exclusive Hybrid Slim



CASEMENT SERIES



Eva



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Glass Size	Single Frame	2 in 1 Frame	3 in 1 Frame	Window Height(Max)
30 Casement	30 x 61	5 to 8	30 x 42	-	-	2130
32 Casement	32 x 65	5 to 13.5	-	89 x 41	-	2130
40 Casement	40 x 58 40 x 61	5 to 8	40 x 41	78 x 48	114 x 50	2130
45 Casement	45 x 72	5 to 26	45 x 45	-	106 x 58	2430
50 Casement	50 x 78	5 to 28	50 x 46	101 x 50	-	2430

Locking type

Single & multipoint lock with handle

Joinery

45 Degree cut With Corner Connector

Finish

Powder | Wood | Anodizing




TOPOLOGY

CASEMENT SERIES



Eva



TOPOLOGY SELECTION COLOR CODE

30 Casement 32 Casement 40 Casement 45 Casement 50 Casement



DOOR SERIES

Eva



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Frame Size	Glass Size	Door Height(Max)
40 Door	40 x 100	40 x 40	5 to 24	2250
50 Door	58 x 96	50 x 73	5 to 28	3000
115 Door	45 x 115	45 x 45	5 to 24	3000
French Door	58 x 96	50 x 73	5 to 28	3000



Locking type	Single & multipoint lock with handle
Joinery	90 / 45 Degree cut With Corner Connector
Finish	Powder Wood Anodizing


TOPOLOGY

DOOR SERIES




Eva


SINGLE OPENABLE




DOUBLE OPENABLE + MULLION




DOUBLE OPENABLE FRENCH




SINGLE OPENABLE + FIX




DOUBLE OPENABLE + MULLION + FIX




DOUBLE OPENABLE FRENCH + FIX



FIX + SINGLE OPENABLE



DOUBLE OPENABLE FRENCH + FIX



PARTITION SERIES



Eva Slim Partition



Eva Slim Faced



Eva Double Glass Partition



PARTITION SERIES



Eva Telescopic Door



Eva Syncro Sliding Door



MINIMAL SLIM






Eva Minimal X



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Frame Size	Glass Size	Height(Max)	Track Option	integrated Mesh	Conceal	Locking type
X 10	19 x 32	43 x 89 43 x 133	8 to 14.5	2450	2T / 3T	-	-	multipoint lock with Shoot Bolt
X 15	36 x 18	42 x 108	12 to 14.5	3000	2T / 2T4S	yes	yes	Joinery 45 / 90 Degree cut With Corner Connector
X 30	42 x 81	45 x 118	28 to 32	3000	2T / 2T4S	yes	yes	Finish Powder Wood Anodizing
X 32	42 x 81	42 x 108	28 to 32	3000	2T / 2T4S	yes	yes	




TOPOLOGY

MINIMAL SLIM




Eva Minimal X


2 TRACK + 2 SHUTTER




3 TRACK + 3 SHUTTER




2 TRACK + 3 SHUTTER




2 TRACK + 4 SHUTTER




2 TRACK + 4 SHUTTER
CORNER




2 TRACK + 4 SHUTTER
+ 2 INTEGRATED MESH - CORNER



2 TRACK + 2 SHUTTER
+ 1 INTEGRATED MESH
SHUTTER



2 TRACK + 4 SHUTTER + 2 INTEGRATED MESH



TOPOLOGY SELECTION
COLOR CODE

BI-FOLD

Eva Sliding Folding



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)

Model	Shutter Size	Frame Size	Glass Size	Height(Max)	Conceal	Lock & Key
29mm	29 x 85	90 x 70 90 x 130	6 to 38	3660	yes	-
66mm	66 x 66	35 x 23	8 to 40	3660	-	yes

Locking type

multipoint lock with Shoot Bolt

Joinery

45 / 90 Degree cut With Corner Connector

Finish

Powder | Wood | Anodizing




TOPOLOGY

BI-FOLD



Eva Sliding Folding



ALU WOOD


Eva Sliding



TECHNICAL SPECIFICATION

Shutter depth	34 mm
Locking type	Single & multipoint lock
Corner details	45 Degree cut With Corner Connector
Glass Size	18 to 24mm
Glass Option	DGU, Laminated Glass
Window Height (Max)	1800mm
Finish	Real Wood

2 TRACK + 2 SHUTTER



ALU WOOD



Eva Casement



TECHNICAL SPECIFICATION


Shutter depth	55 mm
Locking type	Single & multipoint lock
Corner details	45 Degree cut With Corner Connector
Glass Size	18 to 24mm
Glass Option	DGU, Laminated Glass
Window Height (Max)	1800mm
Finish	Real Wood



SINGLE OPENABLE



DOUBLE OPENABLE + MULLION



LIFT & SLIDE



TECHNICAL SPECIFICATION

All Size are in Millimeter (mm)


Model	Shutter Size	Frame Size	Glass Size	Height(Max)
96mm	96 x 50	102 x 50	8 to 32	3660
28mm	28 x 50	106 x 40	8 to 38	3660

Locking type
multipoint lock

Joinery
45 / 90 Degree cut With
Corner Connector


Finish
Powder | Wood | Anodizing

2 TRACK + 2 SHUTTER



EXCLUSIVE

Eva Movable Louvers



TECHNICAL SPECIFICATION

Unit Height	1000mm (in a Loop)
Unit Width	900mm
Finish	Powder Coat Wood Effect Anodizing




EXCLUSIVE

Eva Mono Rail



TECHNICAL SPECIFICATION

Shutter depth	34mm
Locking type	Multipoint lock
Corner details	45 / 90 Degree cut With Corner Connector
Glass Size	5 to 14mm
Window Height (Max)	3000mm
Window Width	Max 1200mm
Finish	Powder Coat Wood Effect Anodizing



EXCLUSIVE



Eva Tilt & Turn



TECHNICAL SPECIFICATION

Shutter depth	50mm
Locking type	Multipoint lock
Corner details	45 Degree cut With Corner Connector
Glass Size	5 to 32mm
Window Height (Max)	2440mm
Finish	Powder Coat Wood Effect Anodizing



EXCLUSIVE



Eva Vertical

TECHNICAL SPECIFICATION

Locking type	Single lock
Corner details	90 Degree cut With Corner Connector
Glass Size	5 to 8mm
Window Height (Max)	1200mm
Finish	Powder Coat Wood Effect Anodizing

Eva Parallel

TECHNICAL SPECIFICATION

Locking type	Multi lock
Corner details	45Degree cut With Corner Connector
Glass Size	5 to 28mm
Window Height (Max)	1200mm
Finish	Powder Coat Wood Effect Anodizing



EXCLUSIVE



Eva Georgian bar



Eva Grill



EXCLUSIVE



Eva Wall Cladding



Range | Wall Paneling | Skirting | Ceiling


Eva Flush Door



Range | With Architrave | Without Architrave | Auto Close

THERMAL BREAK

EVA GREEN BUILDING CONCEPT



Superior Energy Efficiency:

They feature a reinforced polyamide strip between the inner and outer aluminum profiles, which significantly reduces heat transfer (thermal bridging).

Excellent Insulation:



The thermal break dramatically improves the unit's U-value (or U-factor), keeping your home warmer in winter and cooler in summer.

Condensation Reduction:

By separating the warmer interior surface from the colder exterior, the risk of condensation forming on the frame is greatly minimized.

Strength and Durability:

They retain the inherent strength, slim sightlines, and low maintenance of standard aluminum, ensuring a long-lasting and aesthetically pleasing product.





EVA ENTERPRISE

Factory / Showroom

Plot No. 1/1, Urja Industrial Park-2, B/h. Goldcoin Foam,
"Shining Gate" National Highway No. 27, Shapar (Veraval),
Ta.: Kotda Sangani, Dist.: Rajkot-360024. (Guj.) INDIA.

evaenterpriserajkot@gmail.com

+91 81602 98089

visit us at: www.edarchitectural.com

Showroom

1007, Sankalp square 3B,
Near hotel taj sky line, Sindhubhwan
marg, Thaltej, Ahmedabad, 380059

evaintex@gmail.com

+91 97141 98089



Scan to Whatsapp



Scan to Download

